



OAKRIDGE

40180

A modern reimagining of the classic recliner chair, Oakridge lends upscale appeal to your home. Clean piping details extend from its supportive headrest to its curved and contoured arms. These sleek details cultivate a high-end aesthetic while its durable spring seats and streamlined silhouette support either one, two, or three motor functionality.

PALLISER



OAKRIDGE

40180

Note: Icon images are for illustrative purposes only and may not be an exact representation of the product. Please refer to the product photography for the most accurate representation.

Inside Arm (IA): Refers to the distance between the arms.

STANDALONE PIECES



**A1 WALLHUGGER POWER
RECLINER**

35 x 41 x 43"
89 x 105 x 108 cm
IA: 24" / 61 cm



**A2 LIFT CHAIR W/POWER
RECLINER**

35 x 41 x 43"
89 x 105 x 108 cm
IA: 24" / 61 cm



**B1 WALLHUGGER PWR RCLNR
W/PWR HR**

35 x 41 x 43"
89 x 105 x 108 cm
IA: 24" / 61 cm



**B2 LIFT CHAR W/PWR RCLNR
W/PWR HR**

35 x 41 x 43"
89 x 105 x 108 cm
IA: 24" / 61 cm



**C1 WLHUGR PWR RCLNR/PWR
HR/PW LMB**

35 x 41 x 43"
89 x 105 x 108 cm
IA: 24" / 61 cm



**C2 LIFT CHR PWR RCLN/PWR
HR/PWR L**

35 x 41 x 43"
89 x 105 x 108 cm
IA: 24" / 61 cm

*Select pieces from this collection are available in pattern-matched accent covers. Pattern matching ensures the pattern is consistent throughout the piece and matches at seams, and over arms and backs, creating a continuous pattern. Dimensions shown as Width x Depth x Height. Dimensions are correct at the time of printing and are subject to change without notice. Actual measurements for each item may vary. Please allow up to a +/- 1 inch or 3 centimeter difference.



OAKRIDGE

40180



STANDARD FUNCTIONS

- Lift activation with hand held wand



FRAME

- All Palliser frames are constructed from engineered wood products, hardwood or softwood; joints are pinned and glued for uniformity and strength.



CHOOSE YOUR LEG OPTION

- This item comes standard with the leg pictured



CHOOSE YOUR COVER

- Fabrics, excluding Accent Fabrics
- Leather
- Leather Alternative
- Leather Match



SEATING


- Attached seat cushions feature a high-resiliency, high density foam core with a polyester wrap
- Tight back cushions with fibre filling, blown into channels to prevent shifting and provide pillow-soft comfort
- Seat Suspension: Heavy gauge sinuous springs, engineered to provide premium comfort and endurance.
- Back Suspension: Sinuous springs to provide premium comfort and support.



OAKRIDGE

40180


DIMENSIONS



Side

All measurements in inches (in).

SKU	Description	A. Depth	B. Height	C. Arm Depth	C.. Seat Depth	D. Ground Clearance	E. Full Recline Depth	F. Wall Clearance
40180-A1	WALLHUGGER POWER RECLINER	41.0	42.5	35.0	20.3	0.6	67.2	7.6
40180-A2	LIFT CHAIR W/POWER RECLINER	41.0	42.5	35.0	20.3	0.6	67.2	15.0
40180-B1	WALLHUGGER PWR RCLNR W/PWR HR	41.0	42.5	35.0	20.3	0.6	67.2	7.6
40180-B2	LIFT CHAR W/PWR RCLNR W/PWR HR	41.0	42.5	35.0	20.3	0.6	67.2	15.0
40180-C1	WLHUGR PWR RCLNR/PWR HR/PW LMB	41.0	42.5	35.0	20.3	0.6	67.2	7.6
40180-C2	LIFT CHR PWR RCLN/PWR HR/PWR L	41.0	42.5	35.0	20.3	0.6	67.2	15.0



Front

All measurements in inches (in).

SKU	Description	Q. Width	R. Seat Height From Floor	S. Height Of Back From Seat	T. Arm Height From Floor	V. Width Between Arms
40180-A1	WALLHUGGER POWER RECLINER	35.0	19.5	9.3	23.2	23.7
40180-A2	LIFT CHAIR W/POWER RECLINER	35.0	19.5	9.3	23.2	23.7
40180-B1	WALLHUGGER PWR RCLNR W/PWR HR	35.0	19.5	9.3	23.2	23.7
40180-B2	LIFT CHAR W/PWR RCLNR W/PWR HR	35.0	19.5	9.3	23.2	23.7
40180-C1	WLHUGR PWR RCLNR/PWR HR/PW LMB	35.0	19.5	9.3	23.2	23.7
40180-C2	LIFT CHR PWR RCLN/PWR HR/PWR L	35.0	19.5	9.3	23.2	23.7

*Select pieces from this collection are available in pattern-matched accent covers. Pattern matching ensures the pattern is consistent throughout the piece and matches at seams, and over arms and backs, creating a continuous pattern. Dimensions shown as Width x Depth x Height. Dimensions are correct at the time of printing and are subject to change without notice. Actual measurements for each item may vary. Please allow up to a +/- 1 inch or 3 centimeter difference.